



Search for a W' boson decaying to a muon and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV[☆]

CMS Collaboration^{*}

CERN, Geneva, Switzerland

ARTICLE INFO

Article history:

Received 1 March 2011

Received in revised form 19 May 2011

Accepted 19 May 2011

Available online 26 May 2011

Editor: M. Doser

Keywords:

CMS

Physics

Software

Computing

ABSTRACT

A new heavy gauge boson, W' , decaying to a muon and a neutrino, is searched for in pp collisions at a centre-of-mass energy of 7 TeV. The data, collected with the CMS detector at the LHC, correspond to an integrated luminosity of 36 pb^{-1} . No significant excess of events above the standard model expectation is found in the transverse mass distribution of the muon–neutrino system. Masses below 1.40 TeV are excluded at the 95% confidence level for a sequential standard-model-like W' . The W' mass lower limit increases to 1.58 TeV when the present analysis is combined with the CMS result for the electron channel.

© 2011 CERN. Published by Elsevier B.V. All rights reserved.

New heavy gauge bosons, generally indicated as Z' and W' , are predicted in various extensions of the standard model (SM). Such extensions include Left–Right Symmetric Models [1–3], Compositeness models [4] and Little Higgs models [5]. The search for a W' is usually performed in the context of the benchmark model of Ref. [6], where the W' boson is considered a heavy analogue of the SM W boson with the same left-handed fermionic couplings. Thus the W' decay modes and branching fractions are similar to those of the W boson, with the notable exception of the $t\bar{b}$ channel, which opens up for W' masses above 180 GeV. No interaction with the SM gauge bosons or with other heavy gauge bosons such as Z' is assumed. In this context, CDF [7] and D0 [8] searched for a W' boson in the decay to an electron and a neutrino, and excluded W' masses below 1.1 TeV at the 95% confidence level (C.L.). Recently, a search in this decay channel by CMS extended the lower limit on the W' mass to 1.36 TeV [9].

In this Letter, the W' decay to a muon and a neutrino with an assumed branching fraction of 8.5% (for all W' masses) is investigated and combined with a similar search in the electron channel [9]. The data sample, collected in 2010 by the CMS detector with pp collisions delivered by the LHC at centre-of-mass energy of 7 TeV, corresponds to 36 pb^{-1} .

A more detailed description of CMS can be found elsewhere [10]. The central feature of the CMS apparatus is a supercon-

ducting solenoid, of 6 m internal diameter, providing a magnetic field of 3.8 T. Within the field volume are the silicon pixel and strip tracker, the crystal electromagnetic calorimeter and the brass/scintillator hadron calorimeter. Muons are measured in gas-ionization detectors embedded in the steel return yoke. Both barrel and endcap regions are instrumented with four muon stations combining high precision tracking detectors (drift tubes in the barrel and cathode strip chambers in the endcaps) with resistive plate chambers for triggering as well as contributing to the tracking. The muon transverse momentum, p_T , is determined from the curvature of its track, measured as it traverses the magnetized return yoke. Each station consists of a multi-layer chamber, twelve and six layers for the drift and the cathode strip chambers, respectively. All muon stations contribute to the first level trigger and identify the bunch crossing from which the muon originated. A cylindrical coordinate system about the beam axis is used, in which the polar angle θ is measured with respect to the counterclockwise beam direction and the azimuthal angle, ϕ , is measured in the x – y plane. The quantity η is the pseudo-rapidity defined by $\eta = -\ln \tan \theta/2$. Each muon track is matched to a tracker track, measured in the silicon tracker. A global track fit is performed [11], and the resulting muon p_T resolution is 1 to 10% for p_T values up to 1 TeV. The inner tracker measures charged particle trajectories within the pseudorapidity range $|\eta| < 2.5$. It provides an impact parameter resolution of about $15 \mu\text{m}$ and a transverse momentum p_T resolution of about 1.5% for $p_T = 100$ GeV particles.

The primary sources of background to the $W' \rightarrow \mu\nu$ search include standard model $W \rightarrow \mu\nu$ decays, QCD multi-jet events, $t\bar{t}$,

[☆] © CERN, for the benefit of the CMS Collaboration.

^{*} E-mail address: cms-publication-committee-chair@cern.ch.

Table 1
Description and $\sigma \cdot \text{BR}$ of the major simulated backgrounds used in this search.

| Process | Generator | Order | $\sigma \cdot \text{BR}$ (pb) |
|-----------------------------------|-----------|-------|-------------------------------|
| $W^+ \rightarrow \mu^+ \nu_\mu$ | POWHEG | NNLO | 6152 |
| $W^- \rightarrow \mu^- \nu_\mu$ | POWHEG | NNLO | 4286 |
| $W \rightarrow \tau \nu_\tau$ | PYTHIA | NNLO | 10438 |
| $Z \rightarrow \mu \mu$ | POWHEG | NNLO | 1666 |
| $m_{\mu^+ \mu^-} > 20$ GeV | | | |
| $Z \rightarrow \tau \tau$ | PYTHIA | NNLO | 1666 |
| $m_{\tau \tau} > 20$ GeV | | | |
| $t\bar{t}$ | MADGRAPH | NLO | 157.5 |
| Multi-jet QCD | PYTHIA | LO | 84679 |
| $\hat{p}_T > 20$, $p_T^\mu > 15$ | | | |
| WW | PYTHIA | NLO | 43 |
| WZ | PYTHIA | NLO | 18 |
| ZZ | PYTHIA | NLO | 5.9 |

Drell–Yan events and cosmic ray muons. Diboson processes (WW, WZ, ZZ) with decays to electrons, muons or taus are also considered. Monte Carlo (MC) signal and background events are generated and processed through the full CMS GEANT4 [12,13] based detector simulation, trigger emulation, and event reconstruction chain. The W' signal sample is produced with the PYTHIA 6.409 generator [14] and the CTEQ6L1 parton distribution functions (PDF) [15]. Events are generated for W' masses ranging between 0.6 TeV and 1.5 TeV in steps of 100 GeV and for a W' mass of 2 TeV. Next-to-next-to-leading order (NNLO) corrections to the W' production cross sections, called k -factors, are applied [16,17] and range from 1.32 for $m_{W'} = 0.6$ TeV to 1.26 for $m_{W'} = 2$ TeV.

The samples for the electroweak background processes $W \rightarrow \mu \nu$ and $Z \rightarrow \mu^+ \mu^-$ are produced with POWHEG [18–20] interfaced with PYTHIA for showering and hadronization. Samples of $W \rightarrow \mu \nu$, produced with PYTHIA with and without the simulation of pile-up effects, are used for cross-checks. The PYTHIA generator is also used for the production of $W \rightarrow \tau \nu$, $Z \rightarrow \tau^+ \tau^-$, the diboson (ZZ, WZ, WW) samples, and QCD multi-jet events. For $t\bar{t}$ events, the MADGRAPH [21] generator is used in combination with PYTHIA for showering and hadronization. The major background processes (W, Z) are normalized to the integrated luminosity with NNLO cross section calculations. For the remaining backgrounds either the NLO ($t\bar{t}$ and dibosons) or LO (QCD multi-jet) cross sections are used, and no k -factors are applied. All the simulated backgrounds used in this search and their assumed cross sections can be found in Table 1.

Candidate events with at least one high- p_T muon in the pseudorapidity range $|\eta| < 2.1$ are selected with a set of single-muon triggers. Only global muons reconstructed offline with $p_T > 25$ GeV in the range $|\eta| < 2.1$ are used in the analysis; the global muon track is required to have at least eleven hits in the silicon tracker and at least one hit in the pixel detector. The global track is also required to satisfy $\chi^2/N_{\text{dof}} < 10$ and to have at least two matching track segments in different muon stations. Since the segments have multiple hits and are typically found in different muon detectors separated by thick layers of iron, this requirement significantly reduces the amount of hadronic punch-through. The transverse impact parameter $|d_0|$ of a muon track with respect to the beam spot is required to be less than 0.02 cm, in order to reduce the cosmic muon background. Furthermore, the muon is required to be isolated within a $\Delta R \equiv \sqrt{\Delta\phi^2 + \Delta\eta^2} < 0.3$ cone around its direction. Muon isolation requires that the sum of the deposited transverse energy in the calorimeters and the scalar sum of the transverse momenta of all tracks that originate from the interaction vertex, excluding the muon, is less than 15% of its p_T . An additional requirement that there be no more than one muon in the event with $p_T > 25$ GeV is used to reduce the Z, Drell–Yan and cosmic ray muon backgrounds.

Muon reconstruction, identification, and selection efficiencies, along with their uncertainties, are determined from $Z \rightarrow \mu^+ \mu^-$ decays using tag-and-probe techniques. One lepton candidate, called the “tag”, satisfies the trigger criteria and all identification and isolation requirements. The other lepton candidate, called the “probe”, is used to determine the efficiency of specific criteria under study.

The combined muon identification efficiency is measured to be 95%, including efficiencies for the muon reconstruction, the muon selection requirements, the isolation, and the inner track measured by the silicon strip tracker. The value for the combined efficiency is very similar in data and simulation, with the data/MC ratio being 99%. The trigger efficiency is studied with two complementary methods, the first one using tag-and-probe in dimuon events and the second one using a sample of jet-triggered data, which result in the trigger efficiencies of 92% and 91%, respectively, differing in data and simulation by 4%. Muons from a W' would have higher momenta than those used in the tag-and-probe studies. So far, only muons up to $p_T = 240$ GeV from pp collisions have been recorded and efficiency studies for O(500) GeV muons are done with simulated W' samples. The combined efficiency does not depend on p_T despite the fact that the showering probability in the iron yoke increases with the muon energy. This assumption has been checked with cosmic muons up to 1 TeV [11] and is a consequence of the redundancy of the muon system.

The neutrino from a potential W' signal is not detected, but gives rise to missing transverse energy (E_T^{miss}) in the detector, which is calculated using the particle flow technique [22]. The technique aims at reconstructing a complete, unique list of particles in each event using all the components of the CMS detector: muons, electrons, photons, and charged and neutral hadrons are all reconstructed individually. The E_T^{miss} for the event is given by the negative sum of the p_T of all the reconstructed particles in the event, corrected by the muon energy loss in the calorimeters.

The W' transverse mass, M_T , is thereafter calculated as:

$$M_T = \sqrt{2 \cdot p_T \cdot E_T^{\text{miss}} \cdot (1 - \cos \Delta\phi_{\mu,\nu})}$$

where $\Delta\phi_{\mu,\nu}$ is the opening azimuthal angle between the muon and the direction of E_T^{miss} measured in radians.

The two-body decay kinematic properties are exploited to further select events with signal-like topology where the muon and E_T^{miss} are expected to be nearly back-to-back in the transverse plane and also balanced in transverse energy. A selection on the ratio of the muon p_T and E_T^{miss} is then applied, $0.4 < p_T/E_T^{\text{miss}} < 1.5$. Further, the angular difference is required to be $\Delta\phi_{\mu,\nu} > 2.5$. The distributions for p_T/E_T^{miss} and $\Delta\phi_{\mu,\nu}$ before any kinematics cuts are displayed in Fig. 1. After this selection, the W' signal efficiency for the explored W' mass range is found to be between 79% and 82.5% within the muon acceptance of $|\eta| < 2.1$.

Estimated SM backgrounds, based on MC simulations, are shown in Fig. 2 separately for W bosons and for smaller contributions due to QCD, $t\bar{t}$, Drell–Yan, and diboson production. The dominant background up to high transverse masses is the $W \rightarrow \mu \nu$ contribution, which is difficult to suppress as it also decays to a muon and a neutrino. The amount of QCD background has been measured in data and is found to be negligible for this analysis. The data are also shown in Fig. 2, in agreement with the SM expectation.

The background in the signal region is estimated using the lower $180 < M_T < 350$ GeV side band region of the high M_T part of the spectrum. A relativistic Breit–Wigner function is used as an ad-hoc empirical shape to fit the M_T distribution in the side band, both in the simulation and the data. The parameters of the fitting




Fig. 1. Distributions of kinematic quantities used for signal selection, the ratio of p_T over E_T^{miss} (left) and the angle $\Delta\phi$ between them (right).




Fig. 2. The M_T distribution after all the selection steps, in the data and in the simulation. A W' signal with two different hypothetical masses is shown.

function are then used to calculate the number of expected background events in the different bins of M_T outside the side band. The choice of the side band lower and upper limits is made in order to minimize the contribution from a hypothetical W' signal and find a region that gives reliable extrapolations of the background in the signal region, based on simulation studies. According to the simulation, 71 ± 8 events are expected in the side band region for the combination of all SM backgrounds, for an integrated luminosity of 36 pb^{-1} . The signal contamination would be 1.63 ± 0.07 or 0.17 ± 0.01 W' events for a mass of 1.0 and 1.4 TeV, respectively. In the data, this region contains 52 events, consistent with the prediction within the systematic uncertainties in luminosity, background composition and theoretical uncertainties. Even though we believe that the fit sideband method gives a good estimate of the number of expected background events, we follow a conservative approach: the difference between the predicted SM background from simulation and the sideband-fit result in the data is taken as the systematic uncertainty in the determination of the expected background in the signal region. The robustness of this method has been tested by varying the binning of the M_T distribution and the interval range defining the sideband region, and it was confirmed that it does not introduce any significant systematic uncertainties.

Unlike in the electron channel [9], high- p_T cosmic ray muons constitute an additional source of background for this analysis. Their spectrum shows a different M_T dependence from that of the dominant W boson contribution. Cosmic ray muons are identified with a transverse impact parameter with respect to the beam spot

larger than 0.02 cm. The number of cosmic ray muons expected after this requirement is determined to be between 0.15 ± 0.04 for $M_T > 350$ GeV and 0.08 ± 0.03 for $M_T > 600$ GeV.

The numbers of background events expected and observed are reported in Table 2. The uncertainties on the number of background events in Table 2 correspond to the statistical and systematic uncertainties of the side band fit itself, as the background is completely determined from data.

The number of signal events expected is evaluated from simulation and given in the third column of Table 2 for different W' masses along with the total uncertainty.

The following sources of systematic uncertainties have been considered.

- **Muon p_T resolution and muon momentum scale:** Systematic uncertainties due to the muon p_T resolution and momentum scale are evaluated from detailed studies of the $Z \rightarrow \mu^+ \mu^-$ mass distribution [23] and high- p_T cosmic ray muons [11]. In order to estimate the effect on the number of events expected, the data muon p_T spectrum is scaled and smeared using the values obtained from those studies, the missing transverse energy is recomputed, and finally a distorted M_T distribution is obtained. The fit in the side band is performed again with the new M_T distribution. From comparison with the background estimation obtained from the original undistorted sample, an uncertainty in the final number of expected background events for $M_T > 500$ GeV of approximately 3% is derived. For the signal yield, where higher values of p_T should be considered,

Table 2

Minimum M_T requirement for the search windows, along with the expected numbers of signal (N_{sig}) and background (N_{bkg}) events and data. Errors are statistical (first) and systematic (second). Also shown are the theoretical, expected and observed excluded cross section \times BR limit for each W' signal sample, using a Bayesian method as discussed in the text.

| $m_{W'}$ (GeV) | M_T (GeV) | N_{sig} (Events) | N_{bkg} (Events) | N_{data} (Events) | $\sigma \cdot \text{BR}$ (pb) | Expected limit (pb) | Observed limit (pb) |
|-------------------|----------------|------------------------------|------------------------------|-------------------------------|----------------------------------|------------------------|------------------------|
| 600 | 390 | $152 \pm 2 \pm 16$ | $2.54 \pm 0.68 \pm 1.17$ | 1 | 8.290 | 0.304 | 0.211 |
| 700 | 450 | $78 \pm 1.0 \pm 8$ | $1.54 \pm 0.41 \pm 0.70$ | 1 | 4.264 | 0.263 | 0.221 |
| 800 | 470 | $49 \pm 0.6 \pm 5$ | $1.33 \pm 0.35 \pm 0.60$ | 1 | 2.426 | 0.232 | 0.207 |
| 900 | 500 | $29 \pm 0.4 \pm 3$ | $1.09 \pm 0.29 \pm 0.49$ | 0 | 1.389 | 0.212 | 0.148 |
| 1000 | 530 | $18 \pm 0.2 \pm 1.9$ | $0.91 \pm 0.23 \pm 0.40$ | 0 | 0.849 | 0.202 | 0.147 |
| 1100 | 590 | $11 \pm 0.1 \pm 1.1$ | $0.65 \pm 0.16 \pm 0.28$ | 0 | 0.516 | 0.191 | 0.150 |
| 1200 | 610 | $7.1 \pm 0.09 \pm 0.7$ | $0.59 \pm 0.15 \pm 0.25$ | 0 | 0.334 | 0.185 | 0.147 |
| 1300 | 630 | $4.7 \pm 0.06 \pm 0.5$ | $0.54 \pm 0.13 \pm 0.22$ | 0 | 0.214 | 0.179 | 0.144 |
| 1400 | 630 | $3.2 \pm 0.04 \pm 0.3$ | $0.54 \pm 0.13 \pm 0.22$ | 0 | 0.141 | 0.174 | 0.138 |
| 1500 | 680 | $2.0 \pm 0.02 \pm 0.2$ | $0.42 \pm 0.10 \pm 0.17$ | 0 | 0.094 | 0.173 | 0.145 |
| 2000 | 690 | $0.29 \pm 0.004 \pm 0.03$ | $0.40 \pm 0.10 \pm 0.16$ | 0 | 0.014 | 0.182 | 0.154 |




Fig. 3. Display of the highest- M_T event in transverse view (left) and longitudinal view (right). The four barrel muon stations are shown in red, the forward muon stations in blue. Charged particle tracks as well as the deposited energy per calorimeter cell are displayed. The muon with $p_T = 249$ GeV is symbolized by a red line moving upward, and the $E_T^{\text{miss}} = 238.6$ GeV (“pTMet”) by a blue line moving downward. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this Letter.)

a conservative value of about 10% is assigned as systematic uncertainty due to this effect.

- E_T^{miss} resolution: An uncertainty of 10% [24] is assumed on the hadronic component of the E_T^{miss} resolution, and used to smear the x and y components of the reconstructed E_T^{miss} . The impact on the number of W' signal events (averaged over all masses) in the M_T search window with respect to the un-smearred distribution is found to be below 1%.
- Muon trigger and identification efficiency: An uncertainty close to 4% on the combined muon identification and trigger efficiency is considered for the signal yield.
- Uncertainty on luminosity: The uncertainty on the absolute value of the integrated luminosity is taken as 4% [25].

The high M_T region is then used to search for $W' \rightarrow \mu\nu$ which would manifest itself as an excess of events in the TeV region of the M_T distribution. No significant excess is observed (Fig. 2). The highest transverse mass observed has $M_T = 487$ GeV and is displayed in Fig. 3.

An upper limit is set on the production cross section times the branching ratio into $\mu\nu$, $\sigma \cdot \text{BR}(W' \rightarrow \mu\nu)$. Events above a M_T threshold, which is optimized for the best expected limit, are counted and their number (N_{data}) is compared to the expectation. The probability of observing N_{data} events is given by Poisson statistics. In order to derive the posterior probability distribution

of the parameter of interest, $\sigma \cdot \text{BR}$, the systematic uncertainties are treated as nuisance parameters with log-normal prior shape whereas the prior shape of the parameter of interest is assumed to be flat. The BATCalculator tool, which connects the Bayesian Analysis Toolkit (BAT) [26] to the RooStats package [27], is used to calculate the limit with the help of Markov Chain Monte Carlo methods. The expected and observed 95% C.L. limits for $\sigma \cdot \text{BR}$ are shown in Fig. 4 and in Table 2. The one and two sigma band shows the variation of the expected limit when running a large number of pseudo-experiments taking into account systematic and statistical uncertainties, being dominated by the latter given the small event numbers. The uncertainty on the theoretical cross section was determined by re-weighting each event using all the eigenvectors of the CTEQ6 PDF set. The value of the theoretical cross section, shown in Table 2, is used to translate the excluded cross section into a W' mass limit. The existence of a W' with SM-like couplings and a mass below 1.40 TeV is excluded at 95% C.L. with an expected limit of 1.35 TeV. Inclusion of $W' \rightarrow \tau\nu$ decays does not appreciably add to the acceptance of the $W' \rightarrow \mu\nu$ signal process.

A similar search has been performed in the channel $W' \rightarrow e\nu$ [9]. In this channel the signal is based on high energy electrons and E_T^{miss} and the main discriminating variable is again the transverse mass. The kinematic selections on the angle and the energy ratio of both leptons are similar to the muon channel. Different methods for background determination were developed as QCD

Table 3
The first two columns show the channel-independent theoretical NNLO cross section for various W' mass points. Columns three and five show the individually optimized minimum M_T thresholds for the electron and muon channels, respectively, along with the excluded cross section \times BR per channel in columns four and six. Finally, the two right-most columns are the combined expected and observed limits using a Bayesian method.

| $m_{W'}$ (GeV) | $\sigma \cdot \text{BR}$ (pb) per channel | M_T (e) (GeV) | Obs. limit electron (pb) | M_T (μ) (GeV) | Obs. limit muon (pb) | Exp. limit combined (pb) | Obs. limit combined (pb) |
|-------------------|--|--------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|-----------------------------|
| 800 | 2.426 | 500 | 0.188 | 470 | 0.207 | 0.150 | 0.105 |
| 900 | 1.389 | 500 | 0.168 | 500 | 0.148 | 0.135 | 0.078 |
| 1000 | 0.849 | 500 | 0.159 | 530 | 0.147 | 0.128 | 0.076 |
| 1100 | 0.516 | 500 | 0.157 | 590 | 0.150 | 0.121 | 0.076 |
| 1200 | 0.334 | 650 | 0.170 | 610 | 0.147 | 0.113 | 0.078 |
| 1300 | 0.214 | 675 | 0.168 | 630 | 0.144 | 0.109 | 0.077 |
| 1400 | 0.141 | 675 | 0.164 | 630 | 0.138 | 0.107 | 0.076 |
| 1500 | 0.094 | 675 | 0.159 | 680 | 0.145 | 0.101 | 0.074 |
| 2000 | 0.014 | 675 | 0.167 | 690 | 0.154 | 0.107 | 0.078 |




Fig. 4. The expected and observed 95% C.L. limits for the $W' \rightarrow \mu\nu$ channel with the one and two sigma uncertainty band for the expected limit including the systematic uncertainties. Also shown is the NNLO cross section for the considered model including PDF uncertainties.

may have a larger impact; the normalization of the main W -boson and the multi-jet backgrounds are derived from the data, while the shape for all backgrounds is modeled with simulated samples, with the exception of the multi-jet QCD which is derived from the data. The muon channel exhibits slightly higher sensitivity (due to the larger efficiency of about 79–82%, compared to 64–67% in the electron channel). No events are observed at high transverse masses in either channel, and the results of both searches are combined. Identical NNLO signal cross sections with the same k -factors and the same PDF uncertainties are used for both channels under the assumption of lepton universality. The search windows are optimized individually for each channel based on the best expected limit. The search windows for both channels can be found in Table 3. For each channel the likelihood function is determined and the two likelihood functions are combined.

The limits for the two individual channels as well as the limit obtained by combining them are shown in Fig. 5. The systematic uncertainties for resolution, trigger and lepton identification efficiencies are assumed to be fully uncorrelated between both channels. The uncertainty on the luminosity is taken as fully correlated, as well as the k -factors and PDF uncertainties on the theoretical cross section. When all background uncertainties are assumed to be fully correlated between the two channels, the combined limit remains unchanged. From this combination, a W' with SM-like couplings and with mass below 1.58 TeV is excluded at the 95% confidence level.

In summary, a search for a new heavy gauge boson W' that decays to a muon and a neutrino has been performed with 36 pb^{-1} of data collected by the CMS experiment. No evidence has been




Fig. 5. Individual limits as observed for the electron (black line) and the muon channel (red line). Their combination is shown as a solid blue line for the observed limit (expected as dashed blue line), using a Bayesian technique with only the luminosity uncertainty correlated. The NNLO cross section for the considered model, including PDF uncertainties, is also shown. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this Letter.)

found for W' boson production assuming SM-like couplings and 95% C.L. upper limits have been set on $\sigma \cdot \text{BR}(W' \rightarrow \mu\nu)$. Additionally, a 95% C.L. lower bound on the mass of a W' boson is set at 1.40 TeV. This lower bound is increased to 1.58 TeV when this analysis is combined with a similar search for $W' \rightarrow e\nu$. This result represents a significant improvement over previously published limits.

Acknowledgements

We wish to congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC machine. We thank the technical and administrative staff at CERN and other CMS institutes, and acknowledge support from: FMSR (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES (Croatia); RPF (Cyprus); Academy of Sciences and NICPB (Estonia); Academy of Finland, ME, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRT (Greece); OTKA and NKTH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); NRF and WCU (Korea); LAS (Lithuania); CINVESTAV, CONACYT, SEP, and UASLP-FAI (Mexico); PAEC (Pakistan); SCSR (Poland); FCT (Portugal); JINR (Armenia, Belarus, Georgia, Ukraine, Uzbekistan); MST and MAE (Russia); MSTD (Serbia); MICINN and CPAN (Spain); Swiss Funding Agencies (Switzerland); NSC (Taipei); TUBITAK and TAEC (Turkey); STFC (United Kingdom); DOE and NSF (USA).

Open access

This article is published Open Access at sciencedirect.com. It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are credited.

References

- [1] R.N. Mohapatra, J.C. Pati, Phys. Rev. D 11 (3) (1975) 566, doi:10.1103/PhysRevD.11.566.
- [2] G. Senjanovic, R.N. Mohapatra, Phys. Rev. D 12 (5) (1975) 1502, doi:10.1103/PhysRevD.12.1502.
- [3] J.C. Pati, A. Salam, Phys. Rev. D 10 (1) (1974) 275, doi:10.1103/PhysRevD.10.275.
- [4] E. Eichten, K. Lane, M. Peskin, Phys. Rev. Lett. 50 (1983) 811, doi:10.1103/PhysRevLett.50.811.
- [5] T. Han, et al., Phys. Rev. D 67 (2003) 095004, doi:10.1103/PhysRevD.67.095004, arXiv:hep-ph/0301040.
- [6] G. Altarelli, B. Mele, M. Ruiz-Altaba, Z. Phys. C 45 (1989) 109, doi:10.1007/BF01556677.
- [7] CDF Collaboration, Phys. Rev. D 83 (2011) 031102, doi:10.1103/PhysRevD.83.031102.
- [8] V.M. Abazov, et al., Phys. Rev. Lett. 100 (2008) 031804, doi:10.1103/PhysRevLett.100.031804, arXiv:0710.2966.
- [9] CMS Collaboration, Phys. Lett. B 698 (2011) 21, doi:10.1016/j.physletb.2011.02.048, arXiv:1012.5945v2.
- [10] CMS Collaboration, JINST 3 (2008) S08004, doi:10.1088/1748-0221/3/08/S08004.
- [11] S. Chatrchyan, et al., JINST 5 (2010) T03022, doi:10.1088/1748-0221/5/03/T03022, arXiv:0911.4994.
- [12] S. Agostinelli, et al., Nucl. Instrum. Methods A 506 (2003) 250, doi:10.1016/S0168-9002(03)01368-8.
- [13] J. Allison, et al., IEEE Trans. Nucl. Sci. 53 (2006) 270, doi:10.1109/TNS.2006.869826.
- [14] T. Sjöstrand, S. Mrenna, P.Z. Skands, JHEP 0605 (2006) 026, arXiv:hep-ph/0603175.
- [15] J. Pumplin, et al., JHEP 0207 (2002) 012, doi:10.1088/1126-6708/2002/07/012.
- [16] R. Hamberg, W. van Neerven, T. Matsuura, Nucl. Phys. B 359 (1991) 343, doi:10.1016/0550-3213(91)90064-5.
- [17] R. Hamberg, W. van Neerven, T. Matsuura, Nucl. Phys. B 644 (2002) 403.
- [18] S. Alioli, et al., JHEP 0807 (2008) 060, doi:10.1088/1126-6708/2008/07/060, arXiv:0805.4802.
- [19] P. Nason, JHEP 0411 (2004) 040, doi:10.1088/1126-6708/2004/11/040, arXiv:hep-ph/0409146.
- [20] S. Frixione, P. Nason, C. Oleari, JHEP 0711 (2007) 070, doi:10.1088/1126-6708/2007/11/070, arXiv:0709.2092.
- [21] J. Alwall, et al., JHEP 0709 (2007) 028, doi:10.1088/1126-6708/2007/09/028, arXiv:0706.2334.
- [22] CMS Collaboration, Particle-flow event reconstruction in CMS and performance for jets, taus, and MET, CMS Physics Analysis Summary CMS-PAS-PFT-09-001, <http://cdsweb.cern.ch/record/1194487>.
- [23] CMS Collaboration, JHEP 2011 (2011) 1, doi:10.1007/JHEP01(2011)080.
- [24] CMS Collaboration, Missing transverse energy performance in minimum-bias and jet events from proton–proton collisions at $\sqrt{s} = 7$ TeV, CMS Physics Analysis Summary, <http://cdsweb.cern.ch/record/1279142>.
- [25] CMS Collaboration, Absolute luminosity normalization, CERN-CMS-DP-2011-002, <http://cdsweb.cern.ch/record/1335668>.
- [26] A. Caldwell, D. Kollar, K. Kröninger, Comput. Phys. Commun. 180 (2009) 2197, arXiv:0808.2552v1.
- [27] L. Moneta, et al., The RooStats Project, ACAT2010 Conference Proceedings, arXiv:1009.1003v1.

CMS Collaboration

S. Chatrchyan, V. Khachatryan, A.M. Sirunyan, A. Tumasyan

Yerevan Physics Institute, Yerevan, Armenia

W. Adam, T. Bergauer, M. Dragicevic, J. Erö, C. Fabjan, M. Friedl, R. Frühwirth, V.M. Ghete, J. Hammer¹, S. Häsnel, M. Hoch, N. Hörmann, J. Hrubec, M. Jeitler, G. Kasieczka, W. Kiesenhofer, M. Krammer, D. Liko, I. Mikulec, M. Pernicka, H. Rohringer, R. Schöfbeck, J. Strauss, F. Teischinger, P. Wagner, W. Waltenberger, G. Walzel, E. Widl, C.-E. Wulz

Institut für Hochenergiephysik der OeAW, Wien, Austria

V. Mossolov, N. Shumeiko, J. Suarez Gonzalez

National Centre for Particle and High Energy Physics, Minsk, Belarus

L. Benucci, E.A. De Wolf, X. Janssen, T. Maes, L. Mucibello, S. Ochesanu, B. Roland, R. Rougny, M. Selvaggi, H. Van Haevermaet, P. Van Mechelen, N. Van Remortel

Universiteit Antwerpen, Antwerpen, Belgium

F. Blekman, S. Blyweert, J. D’Hondt, O. Devroede, R. Gonzalez Suarez, A. Kalogeropoulos, J. Maes, M. Maes, W. Van Doninck, P. Van Mulders, G.P. Van Onsem, I. Vilella

Vrije Universiteit Brussel, Brussel, Belgium

O. Charaf, B. Clerbaux, G. De Lentdecker, V. Dero, A.P.R. Gay, G.H. Hammad, T. Hreus, P.E. Marage, L. Thomas, C. Vander Velde, P. Vanlaer

Université Libre de Bruxelles, Bruxelles, Belgium

V. Adler, A. Cimmino, S. Costantini, M. Grunewald, B. Klein, A. Marinov, J. McCartin, D. Ryckbosch, F. Thyssen, M. Tytgat, L. Vanelderen, P. Verwilligen, S. Walsh, N. Zaganidis

Ghent University, Ghent, Belgium

S. Basegmez, G. Bruno, J. Caudron, L. Ceard, E. Cortina Gil, J. De Favereau De Jeneret, C. Delaere, D. Favart, A. Giammanco, G. Grégoire, J. Hollar, V. Lemaître, J. Liao, O. Militaru, S. Oryn, D. Pagano, A. Pin, K. Piotrkowski, N. Schul

Université Catholique de Louvain, Louvain-la-Neuve, Belgium

N. Belyi, T. Caebergs, E. Daubie

Université de Mons, Mons, Belgium

G.A. Alves, D. De Jesus Damiao, M.E. Pol, M.H.G. Souza

Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil

W. Carvalho, E.M. Da Costa, C. De Oliveira Martins, S. Fonseca De Souza, L. Mundim, H. Nogima, V. Oguri, W.L. Prado Da Silva, A. Santoro, S.M. Silva Do Amaral, A. Sznajder, F. Torres Da Silva De Araujo

Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil

F.A. Dias, T.R. Fernandez Perez Tomei, E.M. Gregores², C. Lagana, F. Marinho, P.G. Mercadante², S.F. Novaes, Sandra S. Padula

Instituto de Fisica Teorica, Universidade Estadual Paulista, Sao Paulo, Brazil

N. Darmenov¹, L. Dimitrov, V. Genchev¹, P. Iaydjiev¹, S. Piperov, M. Rodozov, S. Stoykova, G. Sultanov, V. Tcholakov, R. Trayanov, I. Vankov

Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria

A. Dimitrov, M. Dyulendarova, R. Hadjiiska, A. Karadzhinova, V. Kozhuharov, L. Litov, E. Marinova, M. Mateev, B. Pavlov, P. Petkov

University of Sofia, Sofia, Bulgaria

J.G. Bian, G.M. Chen, H.S. Chen, C.H. Jiang, D. Liang, S. Liang, X. Meng, J. Tao, J. Wang, J. Wang, X. Wang, Z. Wang, H. Xiao, M. Xu, J. Zang, Z. Zhang

Institute of High Energy Physics, Beijing, China

Y. Ban, S. Guo, Y. Guo, W. Li, Y. Mao, S.J. Qian, H. Teng, L. Zhang, B. Zhu, W. Zou

State Key Lab. of Nucl. Phys. and Tech., Peking University, Beijing, China

A. Cabrera, B. Gomez Moreno, A.A. Ocampo Rios, A.F. Osorio Oliveros, J.C. Sanabria

Universidad de Los Andes, Bogota, Colombia

N. Godinovic, D. Lelas, K. Lelas, R. Plestina³, D. Polic, I. Puljak

Technical University of Split, Split, Croatia

Z. Antunovic, M. Dzelalija

University of Split, Split, Croatia

V. Brigljevic, S. Duric, K. Kadija, S. Morovic

Institute Rudjer Boskovic, Zagreb, Croatia

A. Attikis, M. Galanti, J. Mousa, C. Nicolaou, F. Ptochos, P.A. Razis

University of Cyprus, Nicosia, Cyprus

M. Finger, M. Finger Jr.

Charles University, Prague, Czech Republic

Y. Assran⁴, S. Khalil⁵, M.A. Mahmoud⁶

Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt

A. Hektor, M. Kadastik, M. Müntel, M. Raidal, L. Rebane

National Institute of Chemical Physics and Biophysics, Tallinn, Estonia

V. Azzolini, P. Eerola

Department of Physics, University of Helsinki, Helsinki, Finland

S. Czellar, J. Härkönen, A. Heikkinen, V. Karimäki, R. Kinnunen, M.J. Kortelainen, T. Lampén, K. Lassila-Perini, S. Lehti, T. Lindén, P. Luukka, T. Mäenpää, E. Tuominen, J. Tuominiemi, E. Tuovinen, D. Ungaro, L. Wendland

Helsinki Institute of Physics, Helsinki, Finland

K. Banzuzi, A. Korpela, T. Tuuva

Lappeenranta University of Technology, Lappeenranta, Finland

D. Sillou

Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3–CNRS, Annecy-le-Vieux, France

M. Besancon, S. Choudhury, M. Dejardin, D. Denegri, B. Fabbro, J.L. Faure, F. Ferri, S. Ganjour, F.X. Gentit, A. Givernaud, P. Gras, G. Hamel de Monchenault, P. Jarry, E. Locci, J. Malcles, M. Marionneau, L. Millischer, J. Rander, A. Rosowsky, I. Shreyber, M. Titov, P. Verrecchia

DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France

S. Baffioni, F. Beaudette, L. Benhabib, L. Bianchini, M. Bluj⁷, C. Broutin, P. Busson, C. Charlot, T. Dahms, L. Dobrzynski, S. Elgammal, R. Granier de Cassagnac, M. Haguenaer, P. Miné, C. Mironov, C. Ochando, P. Paganini, D. Sabes, R. Salerno, Y. Sirois, C. Thiebaut, B. Wyslouch⁸, A. Zabi

Laboratoire Lепrince-Ringuet, Ecole Polytechnique, IN2P3–CNRS, Palaiseau, France

J.-L. Agram⁹, J. Andrea, D. Bloch, D. Bodin, J.-M. Brom, M. Cardaci, E.C. Chabert, C. Collard, E. Conte⁹, F. Drouhin⁹, C. Ferro, J.-C. Fontaine⁹, D. Gelé, U. Goerlach, S. Greder, P. Juillot, M. Karim⁹, A.-C. Le Bihan, Y. Mikami, P. Van Hove

Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France

F. Fassi, D. Mercier

Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules (IN2P3), Villeurbanne, France

C. Baty, S. Beauceron, N. Beaupere, M. Bedjidian, O. Bondu, G. Boudoul, D. Boumediene, H. Brun, N. Chanon, R. Chierici, D. Contardo, P. Depasse, H. El Mamouni, A. Falkiewicz, J. Fay, S. Gascon, B. Ille, T. Kurca, T. Le Grand, M. Lethuillier, L. Mirabito, S. Perries, V. Sordini, S. Tosi, Y. Tschudi, P. Verdier

Université de Lyon, Université Claude Bernard Lyon 1, CNRS–IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France

L. Megreldze

E. Andronikashvili Institute of Physics, Academy of Science, Tbilisi, Georgia

D. Lomidze

Institute of High Energy Physics and Informatization, Tbilisi State University, Tbilisi, Georgia

G. Anagnostou, M. Edelhoff, L. Feld, N. Heracleous, O. Hindrichs, R. Jussen, K. Klein, J. Merz, N. Mohr, A. Ostapchuk, A. Perieanu, F. Raupach, J. Sammet, S. Schael, D. Sprenger, H. Weber, M. Weber, B. Wittmer

RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany

M. Ata, W. Bender, M. Erdmann, J. Frangenheim, T. Hebbeker, A. Hinzmann, K. Hoepfner, T. Klimkovich, D. Klingebiel, P. Kreuzer, D. Lanske[†], C. Magass, M. Merschmeyer, A. Meyer, P. Papacz, H. Pieta, H. Reithler, S.A. Schmitz, L. Sonnenschein, J. Steggemann, D. Teyssier, S. Thüer, M. Tonutti

RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany

M. Bontenackels, M. Davids, M. Duda, G. Flügge, H. Geenen, M. Giffels, W. Haj Ahmad, D. Heydhausen, T. Kress, Y. Kuessel, A. Linn, A. Nowack, L. Perchalla, O. Pooth, J. Rennefeld, P. Sauerland, A. Stahl, M. Thomas, D. Tornier, M.H. Zoeller

RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany

M. Aldaya Martin, W. Behrenhoff, U. Behrens, M. Bergholz¹⁰, K. Borras, A. Cakir, A. Campbell, E. Castro, D. Dammann, G. Eckerlin, D. Eckstein, A. Flossdorf, G. Flucke, A. Geiser, J. Hauk, H. Jung¹, M. Kasemann, I. Katkov¹¹, P. Katsas, C. Kleinwort, H. Kluge, A. Knutsson, M. Krämer, D. Krücker, E. Kuznetsova, W. Lange, W. Lohmann¹⁰, R. Mankel, M. Marienfeld, I.-A. Melzer-Pellmann, A.B. Meyer, J. Mnich, A. Mussgiller, J. Olzem, D. Pitzl, A. Raspereza, A. Raval, M. Rosin, R. Schmidt¹⁰, T. Schoerner-Sadenius, N. Sen, A. Spiridonov, M. Stein, J. Tomaszewska, R. Walsh, C. Wissing

Deutsches Elektronen-Synchrotron, Hamburg, Germany

C. Autermann, V. Blobel, S. Bobrovskiy, J. Draeger, H. Enderle, U. Gebbert, K. Kaschube, G. Kaussen, R. Klanner, J. Lange, B. Mura, S. Naumann-Emme, F. Nowak, N. Pietsch, C. Sander, H. Schettler, P. Schleper, M. Schröder, T. Schum, J. Schwandt, H. Stadie, G. Steinbrück, J. Thomsen

University of Hamburg, Hamburg, Germany

C. Barth, J. Bauer, V. Buege, T. Chwalek, W. De Boer, A. Dierlamm, G. Dirkes, M. Feindt, J. Gruschke, C. Hackstein, F. Hartmann, S.M. Heindl, M. Heinrich, H. Held, K.H. Hoffmann, S. Honc, J.R. Komaragiri, T. Kuhr, D. Martschei, S. Mueller, Th. Müller, M. Niegel, O. Oberst, A. Oehler, J. Ott, T. Peiffer, D. Piparo, G. Quast, K. Rabbertz, F. Ratnikov, N. Ratnikova, M. Renz, C. Saout, A. Scheurer, P. Schieferdecker, F.-P. Schilling, M. Schmanau, G. Schott, H.J. Simonis, F.M. Stober, D. Troendle, J. Wagner-Kuhr, T. Weiler, M. Zeise, V. Zhukov¹¹, E.B. Ziebarth

Institut für Experimentelle Kernphysik, Karlsruhe, Germany

G. Daskalakis, T. Geralis, K. Karafasoulis, S. Kesisoglou, A. Kyriakis, D. Loukas, I. Manolakos, A. Markou, C. Markou, C. Mavrommatis, E. Ntomari, E. Petrakou

Institute of Nuclear Physics "Demokritos", Aghia Paraskevi, Greece

L. Gouskos, T.J. Mertzimekis, A. Panagiotou, E. Stiliaris

University of Athens, Athens, Greece

I. Evangelou, C. Foudas, P. Kokkas, N. Manthos, I. Papadopoulos, V. Patras, F.A. Triantis

University of Ioánnina, Ioánnina, Greece

A. Aranyi, G. Bencze, L. Boldizsar, C. Hajdu¹, P. Hidas, D. Horvath¹², A. Kapusi, K. Krajczar¹³, B. Radics, F. Sikler, G.I. Veres¹³, G. Vesztergombi¹³

KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary

N. Beni, J. Molnar, J. Palinkas, Z. Szillasi, V. Veszpremi

Institute of Nuclear Research ATOMKI, Debrecen, Hungary

P. Raics, Z.L. Trocsanyi, B. Ujvari

University of Debrecen, Debrecen, Hungary

S. Bansal, S.B. Beri, V. Bhatnagar, N. Dhingra, R. Gupta, M. Jindal, M. Kaur, J.M. Kohli, M.Z. Mehta, N. Nishu, L.K. Saini, A. Sharma, A.P. Singh, J.B. Singh, S.P. Singh

Panjab University, Chandigarh, India

S. Ahuja, S. Bhattacharya, B.C. Choudhary, P. Gupta, S. Jain, S. Jain, A. Kumar, K. Ranjan, R.K. Shivpuri

University of Delhi, Delhi, India

R.K. Choudhury, D. Dutta, S. Kailas, V. Kumar, A.K. Mohanty¹, L.M. Pant, P. Shukla

Bhabha Atomic Research Centre, Mumbai, India

T. Aziz, M. Guchait¹⁴, A. Gurtu, M. Maity¹⁵, D. Majumder, G. Majumder, K. Mazumdar, G.B. Mohanty, A. Saha, K. Sudhakar, N. Wickramage

Tata Institute of Fundamental Research – EHEP, Mumbai, India

S. Banerjee, S. Dugad, N.K. Mondal

Tata Institute of Fundamental Research – HECR, Mumbai, India

H. Arfaei, H. Bakhshiansohi¹⁶, S.M. Etesami, A. Fahim¹⁶, M. Hashemi, A. Jafari¹⁶, M. Khakzad, A. Mohammadi¹⁷, M. Mohammadi Najafabadi, S. Paktinat Mehdiabadi, B. Safarzadeh, M. Zeinali¹⁸

Institute for Research and Fundamental Sciences (IPM), Tehran, Iran

M. Abbrescia^{a,b}, L. Barbone^{a,b}, C. Calabria^{a,b}, A. Colaleo^a, D. Creanza^{a,c}, N. De Filippis^{a,c,1}, M. De Palma^{a,b}, L. Fiore^a, G. Iaselli^{a,c}, L. Lusito^{a,b}, G. Maggi^{a,c}, M. Maggi^a, N. Manna^{a,b}, B. Marangelli^{a,b}, S. My^{a,c}, S. Nuzzo^{a,b}, N. Pacifico^{a,b}, G.A. Pierro^a, A. Pompili^{a,b}, G. Pugliese^{a,c}, F. Romano^{a,c}, G. Roselli^{a,b}, G. Selvaggi^{a,b}, L. Silvestris^a, R. Trentadue^a, S. Tuppiti^{a,b}, G. Zito^a

^a INFN Sezione di Bari, Bari, Italy

^b Università di Bari, Bari, Italy

^c Politecnico di Bari, Bari, Italy

G. Abbiendi^a, A.C. Benvenuti^a, D. Bonacorsi^a, S. Braibant-Giacomelli^{a,b}, L. Brigliadori^a, P. Capiluppi^{a,b}, A. Castro^{a,b}, F.R. Cavallo^a, M. Cuffiani^{a,b}, G.M. Dallavalle^a, F. Fabbri^a, A. Fanfani^{a,b}, P. Giacomelli^a, M. Giunta^a, C. Grandi^a, S. Marcellini^a, G. Masetti^{a,b}, M. Meneghelli^{a,b}, A. Montanari^a, F.L. Navarria^{a,b}, F. Odorici^a, A. Perrotta^a, F. Primavera^a, A.M. Rossi^{a,b}, T. Rovelli^{a,b}, G. Siroli^{a,b}, R. Travaglini^{a,b}

^a INFN Sezione di Bologna, Bologna, Italy

^b Università di Bologna, Bologna, Italy

S. Albergo^{a,b}, G. Cappello^{a,b}, M. Chiorboli^{a,b,1}, S. Costa^{a,b}, A. Tricomi^{a,b}, C. Tuve^a

^a INFN Sezione di Catania, Catania, Italy

^b Università di Catania, Catania, Italy

G. Barbagli^a, V. Ciulli^{a,b}, C. Civinini^a, R. D'Alessandro^{a,b}, E. Focardi^{a,b}, S. Frosali^{a,b}, E. Gallo^a, S. Gonzi^{a,b}, P. Lenzi^{a,b}, M. Meschini^a, S. Paoletti^a, G. Sguazzoni^a, A. Tropiano^{a,1}

^a INFN Sezione di Firenze, Firenze, Italy

^b Università di Firenze, Firenze, Italy

L. Benussi, S. Bianco, S. Colafranceschi¹⁹, F. Fabbri, D. Piccolo

INFN Laboratori Nazionali di Frascati, Frascati, Italy

P. Fabbri, R. Musenich

INFN Sezione di Genova, Genova, Italy

A. Benaglia^{a,b}, F. De Guio^{a,b,1}, L. Di Matteo^{a,b}, A. Ghezzi^{a,b}, M. Malberti^{a,b}, S. Malvezzi^a, A. Martelli^{a,b}, A. Massironi^{a,b}, D. Menasce^a, L. Moroni^a, M. Paganoni^{a,b}, D. Pedrini^a, S. Ragazzi^{a,b}, N. Redaelli^a, S. Sala^a, T. Tabarelli de Fatis^{a,b}, V. Tancini^{a,b}

^a INFN Sezione di Milano-Bicocca, Milano, Italy

^b Università di Milano-Bicocca, Milano, Italy

S. Buontempo^a, C.A. Carrillo Montoya^{a,1}, N. Cavallo^{a,20}, A. De Cosa^{a,b}, F. Fabozzi^{a,20}, A.O.M. Iorio^a, L. Lista^a, M. Merola^{a,b}, P. Noli^{a,b}, P. Paolucci^a

^a INFN Sezione di Napoli, Napoli, Italy

^b Università di Napoli "Federico II", Napoli, Italy

P. Azzi^a, N. Bacchetta^a, P. Bellan^{a,b}, D. Bisello^{a,b}, A. Branca^a, R. Carlin^{a,b}, P. Checchia^a, M. De Mattia^{a,b}, T. Dorigo^a, U. Dosselli^a, F. Fanzago^a, F. Gasparini^{a,b}, U. Gasparini^{a,b}, S. Lacaprarà^{a,21}, I. Lazzizzera^{a,c}, M. Margoni^{a,b}, M. Mazzucato^a, A.T. Meneguzzo^{a,b}, M. Nespolo^{a,1}, L. Perrozzi^{a,1}, N. Pozzobon^{a,b}, P. Ronchese^{a,b}, F. Simonetto^{a,b}, E. Torassa^a, M. Tosi^{a,b}, S. Vanini^{a,b}, P. Zotto^{a,b}, G. Zumerle^{a,b}

^a INFN Sezione di Padova, Padova, Italy

^b Università di Padova, Padova, Italy

^c Università di Trento (Trento), Padova, Italy

P. Baesso^{a,b}, U. Berzano^a, S.P. Ratti^{a,b}, C. Riccardi^{a,b}, P. Torre^{a,b}, P. Vitulo^{a,b}, C. Viviani^{a,b}

^a INFN Sezione di Pavia, Pavia, Italy

^b Università di Pavia, Pavia, Italy

M. Biasini^{a,b}, G.M. Bilei^a, B. Caponeri^{a,b}, L. Fanò^{a,b}, P. Lariccia^{a,b}, A. Lucaroni^{a,b,1}, G. Mantovani^{a,b}, M. Menichelli^a, A. Nappi^{a,b}, F. Romeo^{a,b}, A. Santocchia^{a,b}, S. Taroni^{a,b,1}, M. Valdata^{a,b}

^a INFN Sezione di Perugia, Perugia, Italy

^b Università di Perugia, Perugia, Italy

P. Azzurri^{a,c}, G. Bagliesi^a, J. Bernardini^{a,b}, T. Boccali^{a,1}, G. Broccolo^{a,c}, R. Castaldi^a, R.T. D'Agnolo^{a,c}, R. Dell'Orso^a, F. Fiori^{a,b}, L. Foà^{a,c}, A. Giassi^a, A. Kraan^a, F. Ligabue^{a,c}, T. Lomtadze^a, L. Martini^{a,22}, A. Messineo^{a,b}, F. Palla^a, F. Palmonari^a, G. Segneri^a, A.T. Serban^a, P. Spagnolo^a, R. Tenchini^{a,*}, G. Tonelli^{a,b,1}, A. Venturi^{a,1}, P.G. Verdini^a

^a INFN Sezione di Pisa, Pisa, Italy

^b Università di Pisa, Pisa, Italy

^c Scuola Normale Superiore di Pisa, Pisa, Italy

L. Barone^{a,b}, F. Cavallari^a, D. Del Re^{a,b}, E. Di Marco^{a,b}, M. Diemoz^a, D. Franci^{a,b}, M. Grassi^{a,1}, E. Longo^{a,b}, S. Nourbakhsh^a, G. Organtini^{a,b}, F. Pandolfi^{a,b,1}, R. Paramatti^a, S. Rahatlou^{a,b}

^a INFN Sezione di Roma, Roma, Italy

^b Università di Roma "La Sapienza", Roma, Italy

N. Amapane^{a,b}, R. Arcidiacono^{a,c}, S. Argiro^{a,b}, M. Arneodo^{a,c}, C. Biino^a, C. Botta^{a,b,1}, N. Cartiglia^a, R. Castello^{a,b}, M. Costa^{a,b}, N. Demaria^a, A. Graziano^{a,b,1}, C. Mariotti^a, M. Marone^{a,b}, S. Maselli^a, E. Migliore^{a,b}, G. Mila^{a,b}, V. Monaco^{a,b}, M. Musich^{a,b}, M.M. Obertino^{a,c}, N. Pastrone^a, M. Pelliccioni^{a,b}, A. Romero^{a,b}, M. Ruspa^{a,c}, R. Sacchi^{a,b}, V. Sola^{a,b}, A. Solano^{a,b}, A. Staiano^a, D. Trocino^{a,b}, A. Vilela Pereira^{a,b}

^a INFN Sezione di Torino, Torino, Italy

^b Università di Torino, Torino, Italy

^c Università del Piemonte Orientale (Novara), Torino, Italy

S. Belforte^a, F. Cossutti^a, G. Della Ricca^{a,b}, B. Gobbo^a, D. Montanino^{a,b}, A. Penzo^a

^a INFN Sezione di Trieste, Trieste, Italy

^b Università di Trieste, Trieste, Italy

S.G. Heo, S.K. Nam

Kangwon National University, Chunchon, Republic of Korea

S. Chang, J. Chung, D.H. Kim, G.N. Kim, J.E. Kim, D.J. Kong, H. Park, S.R. Ro, D. Son, D.C. Son

Kyungpook National University, Daegu, Republic of Korea

Zero Kim, J.Y. Kim, S. Song

Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Republic of Korea

S. Choi, B. Hong, M.S. Jeong, M. Jo, H. Kim, J.H. Kim, T.J. Kim, K.S. Lee, D.H. Moon, S.K. Park, H.B. Rhee, E. Seo, S. Shin, K.S. Sim

Korea University, Seoul, Republic of Korea

M. Choi, S. Kang, H. Kim, C. Park, I.C. Park, S. Park, G. Ryu

University of Seoul, Seoul, Republic of Korea

Y. Choi, Y.K. Choi, J. Goh, M.S. Kim, E. Kwon, J. Lee, S. Lee, H. Seo, I. Yu

Sungkyunkwan University, Suwon, Republic of Korea

M.J. Bilinskas, I. Grigelionis, M. Janulis, D. Martisiute, P. Petrov, T. Sabonis

Vilnius University, Vilnius, Lithuania

H. Castilla-Valdez, E. De La Cruz-Burelo, R. Lopez-Fernandez, A. Sánchez-Hernández, L.M. Villaseñor-Cendejas

Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico

S. Carrillo Moreno, F. Vazquez Valencia

Universidad Iberoamericana, Mexico City, Mexico

H.A. Salazar Ibarquen

Benemerita Universidad Autonoma de Puebla, Puebla, Mexico

E. Casimiro Linares, A. Morelos Pineda, M.A. Reyes-Santos

Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico

D. Krofcheck, J. Tam

University of Auckland, Auckland, New Zealand

P.H. Butler, R. Doesburg, H. Silverwood

University of Canterbury, Christchurch, New Zealand

M. Ahmad, I. Ahmed, M.I. Asghar, H.R. Hoorani, W.A. Khan, T. Khurshid, S. Qazi

National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan

M. Cwiok, W. Dominik, K. Doroba, A. Kalinowski, M. Konecki, J. Krolikowski

Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland

T. Frueboes, R. Gokieli, M. Górski, M. Kazana, K. Nawrocki, K. Romanowska-Rybinska, M. Szeleper, G. Wrochna, P. Zalewski

Soltan Institute for Nuclear Studies, Warsaw, Poland

N. Almeida, P. Bargassa, A. David, P. Faccioli, P.G. Ferreira Parracho, M. Gallinaro, P. Musella, A. Nayak, J. Seixas, J. Varela

Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal

S. Afanasiev, I. Belotelov, P. Bunin, I. Golutvin, A. Kamenev, V. Karjavin, G. Kozlov, A. Lanev, P. Moisenz, V. Palichik, V. Perelygin, S. Shmatov, V. Smirnov, A. Volodko, A. Zarubin

Joint Institute for Nuclear Research, Dubna, Russia

V. Golovtsov, Y. Ivanov, V. Kim, P. Levchenko, V. Murzin, V. Oreshkin, I. Smirnov, V. Sulimov, L. Uvarov, S. Vavilov, A. Vorobyev, A. Vorobyev

Petersburg Nuclear Physics Institute, Gatchina (St Petersburg), Russia

Yu. Andreev, A. Dermenev, S. Gninenko, N. Golubev, M. Kirsanov, N. Krasnikov, V. Matveev, A. Pashenkov, A. Toropin, S. Troitsky

Institute for Nuclear Research, Moscow, Russia

V. Epshteyn, V. Gavrilo, V. Kaftanov[†], M. Kossov¹, A. Krokhotin, N. Lychkovskaya, V. Popov, G. Safronov, S. Semenov, V. Stolin, E. Vlasov, A. Zhokin

Institute for Theoretical and Experimental Physics, Moscow, Russia

E. Boos, M. Dubinin²³, L. Dudko, A. Ershov, A. Gribushin, V. Klyukhin, O. Kodolova, I. Lokhtin, S. Obraztsov, L. Sarycheva, V. Savrin, A. Snigirev

Moscow State University, Moscow, Russia

V. Andreev, M. Azarkin, I. Dremin, M. Kirakosyan, A. Leonidov, S.V. Rusakov, A. Vinogradov

P.N. Lebedev Physical Institute, Moscow, Russia

I. Azhgirey, S. Bitioukov, V. Grishin¹, V. Kachanov, D. Konstantinov, A. Korablev, V. Krychkin, V. Petrov, R. Ryutin, S. Slabospitsky, A. Sobol, L. Tourtchanovitch, S. Troshin, N. Tyurin, A. Uzunian, A. Volkov

State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia

P. Adzic²⁴, M. Djordjevic, D. Krpic²⁴, J. Milosevic

University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia

M. Aguilar-Benitez, J. Alcaraz Maestre, P. Arce, C. Battilana, E. Calvo, M. Cepeda, M. Cerrada, M. Chamizo Llatas, N. Colino, B. De La Cruz, A. Delgado Peris, C. Diez Pardos, D. Domínguez Vázquez, C. Fernandez Bedoya, J.P. Fernández Ramos, A. Ferrando, J. Flix, M.C. Fouz, P. Garcia-Abia, O. Gonzalez Lopez, S. Goy Lopez, J.M. Hernandez, M.I. Josa, G. Merino, J. Puerta Pelayo, I. Redondo, L. Romero, J. Santaolalla, M.S. Soares, C. Willmott

Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain

C. Albajar, G. Codispoti, J.F. de Trocóniz

Universidad Autónoma de Madrid, Madrid, Spain

J. Cuevas, J. Fernandez Menendez, S. Folgueras, I. Gonzalez Caballero, L. Lloret Iglesias, J.M. Vizán Garcia

Universidad de Oviedo, Oviedo, Spain

J.A. Brochero Cifuentes, I.J. Cabrillo, A. Calderon, S.H. Chuang, J. Duarte Campderros, M. Felcini²⁵, M. Fernandez, G. Gomez, J. Gonzalez Sanchez, C. Jorda, P. Lobelle Pardo, A. Lopez Virto, J. Marco,

R. Marco, C. Martinez Rivero, F. Matorras, F.J. Munoz Sanchez, J. Piedra Gomez²⁶, T. Rodrigo, A.Y. Rodríguez-Marrero, A. Ruiz-Jimeno, L. Scodellaro, M. Sobron Sanudo, I. Vila, R. Vilar Cortabitarte

Instituto de Física de Cantabria (IFCA), CSIC – Universidad de Cantabria, Santander, Spain

D. Abbaneo, E. Auffray, G. Auzinger, P. Baillon, A.H. Ball, D. Barney, A.J. Bell²⁷, D. Benedetti, C. Bernet³, W. Bialas, P. Bloch, A. Bocci, S. Bolognesi, M. Bona, H. Breuker, G. Brona, K. Bunkowski, T. Camporesi, G. Cerminara, J.A. Coarasa Perez, B. Curé, D. D’Enterria, A. De Roeck, S. Di Guida, A. Elliott-Peisert, B. Frisch, W. Funk, A. Gaddi, S. Gennai, G. Georgiou, H. Gerwig, D. Gigi, K. Gill, D. Giordano, F. Glege, R. Gomez-Reino Garrido, M. Gouzevitch, P. Govoni, S. Gowdy, L. Guiducci, M. Hansen, C. Hartl, J. Harvey, J. Hegeman, B. Hegner, H.F. Hoffmann, A. Honma, V. Innocente, P. Janot, K. Kaadze, E. Karavakis, P. Lecoq, C. Lourenço, T. Mäki, L. Malgeri, M. Mannelli, L. Masetti, F. Meijers, S. Mersi, E. Meschi, R. Moser, M.U. Mozer, M. Mulders, E. Nesvold¹, M. Nguyen, T. Orimoto, L. Orsini, E. Perez, A. Petrilli, A. Pfeiffer, M. Pierini, M. Pimiä, G. Polese, A. Racz, J. Rodrigues Antunes, G. Rolandi²⁸, T. Rommerskirchen, C. Rovelli²⁹, M. Rovere, H. Sakulin, C. Schäfer, C. Schwick, I. Segoni, A. Sharma, P. Siegrist, M. Simon, P. Sphicas³⁰, M. Spiropulu²³, F. Stöckli, M. Stoye, P. Tropea, A. Tsirou, P. Vichoudis, M. Voutilainen, W.D. Zeuner

CERN, European Organization for Nuclear Research, Geneva, Switzerland

W. Bertl, K. Deiters, W. Erdmann, K. Gabathuler, R. Horisberger, Q. Ingram, H.C. Kaestli, S. König, D. Kotlinski, U. Langenegger, F. Meier, D. Renker, T. Rohe, J. Sibille³¹, A. Starodumov³²

Paul Scherrer Institut, Villigen, Switzerland

P. Bortignon, L. Caminada³³, Z. Chen, S. Cittolin, G. Dissertori, M. Dittmar, J. Eugster, K. Freudenreich, C. Grab, A. Hervé, W. Hintz, P. Lecomte, W. Lustermann, C. Marchica³³, P. Martinez Ruiz del Arbol, P. Meridiani, P. Milenovic³⁴, F. Moortgat, P. Nef, F. Nessi-Tedaldi, L. Pape, F. Pauss, T. Punz, A. Rizzi, F.J. Ronga, M. Rossini, L. Sala, A.K. Sanchez, M.-C. Sawley, B. Stieger, L. Tauscher[†], A. Thea, K. Theofilatos, D. Treille, C. Urscheler, R. Wallny, M. Weber, L. Wehrli, J. Weng

Institute for Particle Physics, ETH Zurich, Zurich, Switzerland

E. Aguiló, C. AMSler, V. Chiochia, S. De Visscher, C. Favaro, M. Ivova Rikova, B. Millan Mejias, P. Otiougova, C. Regenfus, P. Robmann, A. Schmidt, H. Snoek

Universität Zürich, Zurich, Switzerland

Y.H. Chang, E.A. Chen, K.H. Chen, W.T. Chen, C.M. Kuo, S.W. Li, W. Lin, M.H. Liu, Z.K. Liu, Y.J. Lu, D. Mekterovic, R. Volpe, J.H. Wu, S.S. Yu

National Central University, Chung-Li, Taiwan

P. Bartalini, P. Chang, Y.H. Chang, Y.W. Chang, Y. Chao, K.F. Chen, W.-S. Hou, Y. Hsiung, K.Y. Kao, Y.J. Lei, R.-S. Lu, J.G. Shiu, Y.M. Tzeng, M. Wang

National Taiwan University (NTU), Taipei, Taiwan

A. Adiguzel, M.N. Bakirci³⁵, S. Cerci³⁶, C. Dozen, I. Dumanoglu, E. Eskut, S. Girgis, G. Gokbulut, Y. Guler, E. Gurpinar, I. Hos, E.E. Kangal, T. Karaman, A. Kayis Topaksu, A. Nart, G. Onengut, K. Ozdemir, S. Ozturk, A. Polatoz, K. Sogut³⁷, D. Sunar Cerci³⁶, B. Tali, H. Topakli³⁵, D. Uzun, L.N. Vergili, M. Vergili, C. Zorbilmez

Cukurova University, Adana, Turkey

I.V. Akin, T. Aliev, S. Bilmis, M. Deniz, H. Gamsizkan, A.M. Guler, K. Ocalan, A. Ozpineci, M. Serin, R. Sever, U.E. Surat, E. Yildirim, M. Zeyrek

Middle East Technical University, Physics Department, Ankara, Turkey

M. Deliomeroglu, D. Demir³⁸, E. Gülmez, B. Isildak, M. Kaya³⁹, O. Kaya³⁹, S. Ozkorucuklu⁴⁰, N. Sonmez⁴¹

Bogazici University, Istanbul, Turkey

L. Levchuk

National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine

P. Bell, F. Bostock, J.J. Brooke, T.L. Cheng, E. Clement, D. Cussans, R. Frazier, J. Goldstein, M. Grimes, M. Hansen, D. Hartley, G.P. Heath, H.F. Heath, B. Huckvale, J. Jackson, L. Kreczko, S. Metson, D.M. Newbold⁴², K. Nirunpong, A. Poll, S. Senkin, V.J. Smith, S. Ward

University of Bristol, Bristol, United Kingdom

L. Basso⁴³, K.W. Bell, A. Belyaev⁴³, C. Brew, R.M. Brown, B. Camanzi, D.J.A. Cockerill, J.A. Coughlan, K. Harder, S. Harper, B.W. Kennedy, E. Olaiya, D. Petyt, B.C. Radburn-Smith, C.H. Shepherd-Themistocleous, I.R. Tomalin, W.J. Womersley, S.D. Worm

Rutherford Appleton Laboratory, Didcot, United Kingdom

R. Bainbridge, G. Ball, J. Ballin, R. Beuselinck, O. Buchmuller, D. Colling, N. Cripps, M. Cutajar, G. Davies, M. Della Negra, J. Fulcher, D. Futyan, A. Gilbert, A. Guneratne Bryer, G. Hall, Z. Hatherell, J. Hays, G. Iles, G. Karapostoli, L. Lyons, B.C. MacEvoy, A.-M. Magnan, J. Marrouche, R. Nandi, J. Nash, A. Nikitenko³², A. Papageorgiou, M. Pesaresi, K. Petridis, M. Pioppi⁴⁴, D.M. Raymond, N. Rompotis, A. Rose, M.J. Ryan, C. Seez, P. Sharp, A. Sparrow, A. Tapper, S. Tourneur, M. Vazquez Acosta, T. Virdee, S. Wakefield, D. Wardrope, T. Whyntie

Imperial College, London, United Kingdom

M. Barrett, M. Chadwick, J.E. Cole, P.R. Hobson, A. Khan, P. Kyberd, D. Leslie, W. Martin, I.D. Reid, L. Teodorescu

Brunel University, Uxbridge, United Kingdom

K. Hatakeyama

Baylor University, Waco, USA

T. Bose, E. Carrera Jarrin, C. Fantasia, A. Heister, J.St. John, P. Lawson, D. Lazic, J. Rohlf, D. Sperka, L. Sulak

Boston University, Boston, USA

A. Avetisyan, S. Bhattacharya, J.P. Chou, D. Cutts, A. Ferapontov, U. Heintz, S. Jabeen, G. Kukartsev, G. Landsberg, M. Narain, D. Nguyen, M. Segala, T. Speer, K.V. Tsang

Brown University, Providence, USA

R. Breedon, M. Calderon De La Barca Sanchez, S. Chauhan, M. Chertok, J. Conway, P.T. Cox, J. Dolen, R. Erbacher, E. Friis, W. Ko, A. Kopecky, R. Lander, H. Liu, S. Maruyama, T. Miceli, M. Nikolic, D. Pellett, J. Robles, S. Salur, T. Schwarz, M. Searle, J. Smith, M. Squires, M. Tripathi, R. Vasquez Sierra, C. Veelken

University of California, Davis, Davis, USA

V. Andreev, K. Arisaka, D. Cline, R. Cousins, A. Deisher, J. Duris, S. Erhan, C. Farrell, J. Hauser, M. Ignatenko, C. Jarvis, C. Plager, G. Rakness, P. Schlein[†], J. Tucker, V. Valuev

University of California, Los Angeles, Los Angeles, USA

J. Babb, A. Chandra, R. Clare, J. Ellison, J.W. Gary, F. Giordano, G. Hanson, G.Y. Jeng, S.C. Kao, F. Liu, H. Liu, O.R. Long, A. Luthra, H. Nguyen, B.C. Shen[†], R. Stringer, J. Sturdy, S. Sumowidagdo, R. Wilken, S. Wimpenny

University of California, Riverside, Riverside, USA

W. Andrews, J.G. Branson, G.B. Cerati, E. Dusinger, D. Evans, F. Golf, A. Holzner, R. Kelley, M. Lebourgeois, J. Letts, B. Mangano, S. Padhi, C. Palmer, G. Petrucciani, H. Pi, M. Pieri, R. Ranieri, M. Sani, V. Sharma[†], S. Simon, Y. Tu, A. Vartak, S. Wasserbaech, F. Würthwein, A. Yagil

University of California, San Diego, La Jolla, USA

D. Barge, R. Bellan, C. Campagnari, M. D'Alfonso, T. Danielson, K. Flowers, P. Geffert, J. Incandela, C. Justus, P. Kalavase, S.A. Koay, D. Kovalskyi, V. Krutelyov, S. Lowette, N. Mccoll, V. Pavlunin, F. Rebassoo, J. Ribnik, J. Richman, R. Rossin, D. Stuart, W. To, J.R. Vlimant

University of California, Santa Barbara, Santa Barbara, USA

A. Apresyan, A. Bornheim, J. Bunn, Y. Chen, M. Gataullin, Y. Ma, A. Mott, H.B. Newman, C. Rogan, K. Shin, V. Timciuc, P. Traczyk, J. Veverka, R. Wilkinson, Y. Yang, R.Y. Zhu

California Institute of Technology, Pasadena, USA

B. Akgun, R. Carroll, T. Ferguson, Y. Iiyama, D.W. Jang, S.Y. Jun, Y.F. Liu, M. Paulini, J. Russ, H. Vogel, I. Vorobiev

Carnegie Mellon University, Pittsburgh, USA

J.P. Cumalat, M.E. Dinardo, B.R. Drell, C.J. Edelmaier, W.T. Ford, A. Gaz, B. Heyburn, E. Luiggi Lopez, U. Nauenberg, J.G. Smith, K. Stenson, K.A. Ulmer, S.R. Wagner, S.L. Zang

University of Colorado at Boulder, Boulder, USA

L. Agostino, J. Alexander, D. Cassel, A. Chatterjee, S. Das, N. Eggert, L.K. Gibbons, B. Heltsley, W. Hopkins, A. Khukhunaishvili, B. Kreis, G. Nicolas Kaufman, J.R. Patterson, D. Puigh, A. Ryd, X. Shi, W. Sun, W.D. Teo, J. Thom, J. Thompson, J. Vaughan, Y. Weng, L. Winstrom, P. Wittich

Cornell University, Ithaca, USA

A. Biselli, G. Cirino, D. Winn

Fairfield University, Fairfield, USA

S. Abdullin, M. Albrow, J. Anderson, G. Apollinari, M. Atac, J.A. Bakken, S. Banerjee, L.A.T. Bauerdick, A. Beretvas, J. Berryhill, P.C. Bhat, I. Bloch, F. Borcherding, K. Burkett, J.N. Butler, V. Chetluru, H.W.K. Cheung, F. Chlebana, S. Cihangir, W. Cooper, D.P. Eartly, V.D. Elvira, S. Esen, I. Fisk, J. Freeman, Y. Gao, E. Gottschalk, D. Green, K. Gunthoti, O. Gutsche, J. Hanlon, R.M. Harris, J. Hirschauer, B. Hooberman, H. Jensen, M. Johnson, U. Joshi, R. Khatiwada, B. Klima, K. Kousouris, S. Kunori, S. Kwan, C. Leonidopoulos, P. Limon, D. Lincoln, R. Lipton, J. Lykken, K. Maeshima, J.M. Marraffino, D. Mason, P. McBride, T. Miao, K. Mishra, S. Mrenna, Y. Musienko⁴⁵, C. Newman-Holmes, V. O'Dell, R. Pordes, O. Prokofyev, N. Saoulidou, E. Sexton-Kennedy, S. Sharma, W.J. Spalding, L. Spiegel, P. Tan, L. Taylor, S. Tkaczyk, L. Uplegger, E.W. Vaandering, R. Vidal, J. Whitmore, W. Wu, F. Yang, F. Yumiceva, J.C. Yun

Fermi National Accelerator Laboratory, Batavia, USA

D. Acosta, P. Avery, D. Bourilkov, M. Chen, M. De Gruttola, G.P. Di Giovanni, D. Dobur, A. Drozdetskiy, R.D. Field, M. Fisher, Y. Fu, I.K. Furic, J. Gartner, B. Kim, J. Konigsberg, A. Korytov, A. Kropivnitskaya, T. Kypreos, K. Matchev, G. Mitselmakher, L. Muniz, Y. Pakhotin, C. Prescott, R. Remington, M. Schmitt, B. Scurlock, P. Sellers, N. Skhirtladze, M. Snowball, D. Wang, J. Yelton, M. Zakaria

University of Florida, Gainesville, USA

C. Ceron, V. Gaultney, L. Kramer, L.M. Lebolo, S. Linn, P. Markowitz, G. Martinez, D. Mesa, J.L. Rodriguez

Florida International University, Miami, USA

T. Adams, A. Askew, D. Bandurin, J. Bochenek, J. Chen, B. Diamond, S.V. Gleyzer, J. Haas, S. Hagopian, V. Hagopian, M. Jenkins, K.F. Johnson, H. Prosper, L. Quertenmont, S. Sekmen, V. Veeraraghavan

Florida State University, Tallahassee, USA

M.M. Baarmand, B. Dorney, S. Guragain, M. Hohlmann, H. Kalakhety, R. Ralich, I. Vodopyanov

Florida Institute of Technology, Melbourne, USA

M.R. Adams, I.M. Anghel, L. Apanasevich, Y. Bai, V.E. Bazterra, R.R. Betts, J. Callner, R. Cavanaugh, C. Dragoiu, L. Gauthier, C.E. Gerber, D.J. Hofman, S. Khalatyan, G.J. Kunde⁴⁶, F. Lacroix, M. Malek, C. O'Brien, C. Silvestre, A. Smoron, D. Strom, N. Varelas

University of Illinois at Chicago (UIC), Chicago, USA

U. Akgun, E.A. Albayrak, B. Bilki, W. Clarida, F. Duru, C.K. Lae, E. McCliment, J.-P. Merlo, H. Mermerkaya, A. Mestvirishvili, A. Moeller, J. Nachtman, C.R. Newsom, E. Norbeck, J. Olson, Y. Onel, F. Ozok, S. Sen, J. Wetzel, T. Yetkin, K. Yi

The University of Iowa, Iowa City, USA

B.A. Barnett, B. Blumenfeld, A. Bonato, C. Eskew, D. Fehling, G. Giurgiu, A.V. Gritsan, G. Hu, P. Maksimovic, S. Rappoccio, M. Swartz, N.V. Tran, A. Whitbeck

Johns Hopkins University, Baltimore, USA

P. Baringer, A. Bean, G. Benelli, O. Grachov, M. Murray, D. Noonan, S. Sanders, J.S. Wood, V. Zhukova

The University of Kansas, Lawrence, USA

A.f. Barfuss, T. Bolton, I. Chakaberia, A. Ivanov, S. Khalil, M. Makouski, Y. Maravin, S. Shrestha, I. Svintradze, Z. Wan

Kansas State University, Manhattan, USA

J. Gronberg, D. Lange, D. Wright

Lawrence Livermore National Laboratory, Livermore, USA

A. Baden, M. Boutemour, S.C. Eno, D. Ferencek, J.A. Gomez, N.J. Hadley, R.G. Kellogg, M. Kirn, Y. Lu, A.C. Mignerey, K. Rossato, P. Rumerio, F. Santanastasio, A. Skuja, J. Temple, M.B. Tonjes, S.C. Tonwar, E. Twedt

University of Maryland, College Park, USA

B. Alver, G. Bauer, J. Bendavid, W. Busza, E. Butz, I.A. Cali, M. Chan, V. Dutta, P. Everaerts, G. Gomez Ceballos, M. Goncharov, K.A. Hahn, P. Harris, Y. Kim, M. Klute, Y.-J. Lee, W. Li, C. Loizides, P.D. Luckey, T. Ma, S. Nahn, C. Paus, D. Ralph, C. Roland, G. Roland, M. Rudolph, G.S.F. Stephans, K. Sumorok, K. Sung, E.A. Wenger, S. Xie, M. Yang, Y. Yilmaz, A.S. Yoon, M. Zanetti

Massachusetts Institute of Technology, Cambridge, USA

P. Cole, S.I. Cooper, P. Cushman, B. Dahmes, A. De Benedetti, P.R. Duderu, G. Franzoni, J. Haupt, K. Klapoetke, Y. Kubota, J. Mans, V. Rekovic, R. Rusack, M. Sasseville, A. Singovsky

University of Minnesota, Minneapolis, USA

L.M. Cremaldi, R. Godang, R. Kroeger, L. Perera, R. Rahmat, D.A. Sanders, D. Summers

University of Mississippi, University, USA

K. Bloom, S. Bose, J. Butt, D.R. Claes, A. Dominguez, M. Eads, J. Keller, T. Kelly, I. Kravchenko, J. Lazo-Flores, H. Malbouisson, S. Malik, G.R. Snow

University of Nebraska-Lincoln, Lincoln, USA

U. Baur, A. Godshalk, I. Iashvili, S. Jain, A. Kharchilava, A. Kumar, S.P. Shipkowski, K. Smith

State University of New York at Buffalo, Buffalo, USA

G. Alverson, E. Barberis, D. Baumgartel, O. Boeriu, M. Chasco, S. Reucroft, J. Swain, D. Wood, J. Zhang

Northeastern University, Boston, USA

A. Anastassov, A. Kubik, N. Odell, R.A. Ofierzynski, B. Pollack, A. Pozdnyakov, M. Schmitt, S. Stoynev, M. Velasco, S. Won

Northwestern University, Evanston, USA

L. Antonelli, D. Berry, M. Hildreth, C. Jessop, D.J. Karmgard, J. Kolb, T. Kolberg, K. Lannon, W. Luo, S. Lynch, N. Marinelli, D.M. Morse, T. Pearson, R. Ruchti, J. Slaunwhite, N. Valls, M. Wayne, J. Ziegler

University of Notre Dame, Notre Dame, USA

B. Bylsma, L.S. Durkin, J. Gu, C. Hill, P. Killewald, K. Kotov, T.Y. Ling, M. Rodenburg, G. Williams

The Ohio State University, Columbus, USA

N. Adam, E. Berry, P. Elmer, D. Gerbaudo, V. Halyo, P. Hebda, A. Hunt, J. Jones, E. Laird, D. Lopes Pegna, D. Marlow, T. Medvedeva, M. Mooney, J. Olsen, P. Piroué, X. Quan, H. Saka, D. Stickland, C. Tully, J.S. Werner, A. Zuranski

Princeton University, Princeton, USA

J.G. Acosta, X.T. Huang, A. Lopez, H. Mendez, S. Oliveros, J.E. Ramirez Vargas, A. Zatserklyaniy

University of Puerto Rico, Mayaguez, USA

E. Alagoz, V.E. Barnes, G. Bolla, L. Borrello, D. Bortoletto, A. Everett, A.F. Garfinkel, L. Gutay, Z. Hu, M. Jones, O. Koybasi, M. Kress, A.T. Laasanen, N. Leonardo, C. Liu, V. Maroussov, P. Merkel, D.H. Miller, N. Neumeister, I. Shipsey, D. Silvers, A. Svyatkovskiy, H.D. Yoo, J. Zablocki, Y. Zheng

Purdue University, West Lafayette, USA

P. Jindal, N. Parashar

Purdue University Calumet, Hammond, USA

C. Boulahouache, V. Cuplov, K.M. Ecklund, F.J.M. Geurts, B.P. Padley, R. Redjimi, J. Roberts, J. Zabel

Rice University, Houston, USA

B. Betchart, A. Bodek, Y.S. Chung, R. Covarelli, P. de Barbaro, R. Demina, Y. Eshaq, H. Flacher, A. Garcia-Bellido, P. Goldenzweig, Y. Gotra, J. Han, A. Harel, D.C. Miner, D. Orbaker, G. Petrillo, D. Vishnevskiy, M. Zielinski

University of Rochester, Rochester, USA

A. Bhatti, R. Ciesielski, L. Demortier, K. Goulianos, G. Lungu, C. Mesropian, M. Yan

The Rockefeller University, New York, USA

O. Atramentov, A. Barker, D. Duggan, Y. Gershtein, R. Gray, E. Halkiadakis, D. Hidas, D. Hits, A. Lath, S. Panwalkar, R. Patel, A. Richards, K. Rose, S. Schnetzer, S. Somalwar, R. Stone, S. Thomas

Rutgers, The State University of New Jersey, Piscataway, USA

G. Cerizza, M. Hollingsworth, S. Spanier, Z.C. Yang, A. York

University of Tennessee, Knoxville, USA

J. Asaadi, R. Eusebi, J. Gilmore, A. Gurrola, T. Kamon, V. Khotilovich, R. Montalvo, C.N. Nguyen, I. Osipenkov, J. Pivarski, A. Safonov, S. Sengupta, A. Tatarinov, D. Toback, M. Weinberger

Texas A&M University, College Station, USA

N. Akchurin, J. Damgov, C. Jeong, K. Kovitanggoon, S.W. Lee, Y. Roh, A. Sill, I. Volobouev, R. Wigmans, E. Yazgan

Texas Tech University, Lubbock, USA

E. Appelt, E. Brownson, D. Engh, C. Florez, W. Gabella, M. Issah, W. Johns, P. Kurt, C. Maguire, A. Melo, P. Sheldon, S. Tuo, J. Velkovska

Vanderbilt University, Nashville, USA

M.W. Arenton, M. Balazs, S. Boutle, M. Buehler, B. Cox, B. Francis, R. Hirosky, A. Ledovskoy, C. Lin, C. Neu, R. Yohay

University of Virginia, Charlottesville, USA

S. Gollapinni, R. Harr, P.E. Karchin, P. Lamichhane, M. Mattson, C. Milstène, A. Sakharov

Wayne State University, Detroit, USA

M. Anderson, M. Bachtis, J.N. Bellinger, D. Carlsmith, S. Dasu, J. Efron, K. Flood, L. Gray, K.S. Grogg, M. Grothe, R. Hall-Wilton, M. Herndon, P. Klabbers, J. Klukas, A. Lanaro, C. Lazaridis, J. Leonard, R. Loveless, A. Mohapatra, D. Reeder, I. Ross, A. Savin, W.H. Smith, J. Swanson, M. Weinberg

University of Wisconsin, Madison, USA

* Corresponding author.

E-mail address: Roberto.Tenchini@cern.ch (R. Tenchini).

¹ Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland.

² Also at Universidade Federal do ABC, Santo Andre, Brazil.

³ Also at Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3–CNRS, Palaiseau, France.

⁴ Also at Suez Canal University, Suez, Egypt.

⁵ Also at British University, Cairo, Egypt.

⁶ Also at Fayoum University, El-Fayoum, Egypt.

⁷ Also at Soltan Institute for Nuclear Studies, Warsaw, Poland.

⁸ Also at Massachusetts Institute of Technology, Cambridge, USA.

⁹ Also at Université de Haute-Alsace, Mulhouse, France.

¹⁰ Also at Brandenburg University of Technology, Cottbus, Germany.

¹¹ Also at Moscow State University, Moscow, Russia.

¹² Also at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.

¹³ Also at Eötvös Loránd University, Budapest, Hungary.

¹⁴ Also at Tata Institute of Fundamental Research – HECR, Mumbai, India.

¹⁵ Also at University of Visva-Bharati, Santiniketan, India.

¹⁶ Also at Sharif University of Technology, Tehran, Iran.

¹⁷ Also at Shiraz University, Shiraz, Iran.

¹⁸ Also at Isfahan University of Technology, Isfahan, Iran.

¹⁹ Also at Facoltà Ingegneria Università di Roma “La Sapienza”, Roma, Italy.

²⁰ Also at Università della Basilicata, Potenza, Italy.

²¹ Also at Laboratori Nazionali di Legnaro dell’INFN, Legnaro, Italy.

²² Also at Università degli studi di Siena, Siena, Italy.

²³ Also at California Institute of Technology, Pasadena, USA.

²⁴ Also at Faculty of Physics of University of Belgrade, Belgrade, Serbia.

²⁵ Also at University of California, Los Angeles, Los Angeles, USA.

²⁶ Also at University of Florida, Gainesville, USA.

²⁷ Also at Université de Genève, Geneva, Switzerland.

²⁸ Also at Scuola Normale e Sezione dell’INFN, Pisa, Italy.

²⁹ Also at INFN Sezione di Roma; Università di Roma “La Sapienza”, Roma, Italy.

³⁰ Also at University of Athens, Athens, Greece.

³¹ Also at The University of Kansas, Lawrence, USA.

- ³² Also at Institute for Theoretical and Experimental Physics, Moscow, Russia.
 - ³³ Also at Paul Scherrer Institut, Villigen, Switzerland.
 - ³⁴ Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia.
 - ³⁵ Also at Gaziosmanpasa University, Tokat, Turkey.
 - ³⁶ Also at Adiyaman University, Adiyaman, Turkey.
 - ³⁷ Also at Mersin University, Mersin, Turkey.
 - ³⁸ Also at Izmir Institute of Technology, Izmir, Turkey.
 - ³⁹ Also at Kafkas University, Kars, Turkey.
 - ⁴⁰ Also at Suleyman Demirel University, Isparta, Turkey.
 - ⁴¹ Also at Ege University, Izmir, Turkey.
 - ⁴² Also at Rutherford Appleton Laboratory, Didcot, United Kingdom.
 - ⁴³ Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
 - ⁴⁴ Also at INFN Sezione di Perugia; Università di Perugia, Perugia, Italy.
 - ⁴⁵ Also at Institute for Nuclear Research, Moscow, Russia.
 - ⁴⁶ Also at Los Alamos National Laboratory, Los Alamos, USA.
- † Deceased.